



# VARIANT INFRA TECH PVT. LTD.




Tel:+91-11-26275669 Fax:+91-11-26463463




Contact: Ms.Vikrant . E-mail:variantinftratech@gmail.com Mobile/Whatsapp: +91-9999113793




[www.variantinftratech.com](http://www.variantinftratech.com) [www.venergy.co.in](http://www.venergy.co.in)

## Quotation Sheet





Model Number	Product	Parameters	Lighting Mode	Qty (PCS)	Unit price(INR)	MOQ	Packing details
ELS-02-S Solar decorative led light with string light		1,Size Dia148MM*150MM 2,Solar panel 1W 3,Battery 3.7V 1000MAH 4,Leds :White LEDs12PCS ,Colorful Leds 12PCS 5, <b>With Remote Control</b> , can switch 7 color randomly , <b>with string light</b> 6, Material : PC+ABS 7, Solar charging time 5-6hrs 8, Lighting time 8-10hrs 9, <b>IP65</b>	Crystal lampshade with high-end design, it will be suitable for outdoor party ,wine party,Many lamps Combined into a variety of shapes "Heart Shape) , Christmas leds decoration , color changing to create a beauty	500	1283.33	500	Pending
				1,000	1276.04		
				3,000	1254.17		
				5,000	1239.58		
				<b>Sample</b>	<b>1720.83</b>		
ELS-02-P Solar pool led light (Floating led light)		1,Size Dia148MM*150MM 2,Solar panel 1W 3,Battery 3.7V 1000MAH (Battery can be enlarged ) 4,Leds :White LEDs12PCS ,Colorful Leds 12PCS 5, <b>With Remote Control</b> , can switch 7 color randomly 6, Material : PC+ABS 7, Solar charging time 5-6hrs 8, Lighting time 8-10hrs 9, <b>IP65</b>	Color changing controlled by remote control , <b>can float on the pool water . Solar Funny led light</b>	500	1312.50	500	Pending
				1,000	1297.92		
				3,000	1268.75		
				5,000	1239.58		
				<b>Sample</b>	<b>1385.42</b>		





<p>ELS-02-G Solar lawn light with mobile charger</p> 	<p>1,Size Dia148MM*150MM 2,Solar panel 1W 3,Battery 3.7V 1000MAH 4,Leds :White LEDs12PCS ,Colorful Leds 12PCS 5, Color changing by button control , with mobile charger output . No remote Control . 6, Material : PC+ABS 7, Solar charging time 5-6hrs 8, Lighting time 8-10hrs 9, IP65</p>	<p>Crystal lampshade with high-end design, outdoor and travel use , can be as funny light , solar power bank and emergency light in camping.</p>	500	1137. 50	500	Pending
			1,000	1122. 92		
			3,000	1093. 75		
			5,000	1064. 58		
			Sample	1166. 67		
<p>ELS-08 (Solar motion led light)</p>  <p>ACMESHINE™ Item:ELS-08 www.acmeshine.com CE FC</p>	<p>1, Solar panel :3W 2, LED :56pcs ,5W, 500lumens (Netural led color : Pure white ) LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs 5, Battery : <b>2200mah li-ion polymer battery</b> 6, Material : ABS +PC 7, IP level : 65 8, With PIR motion sensor and light sensor 9,Working Temperature: -25°C to 65°C 10,<b>Rotatable Design</b></p>	<p>10% Dim lighting +motion sensor (Bright lighting for 30secs once motion detected )</p>	500	1517. 62	200	<p>Standard color box: 230*180*60mm 0.6kg/piece Master ctn size : 565*470*392mm 36pcs/ctn 23kg/ctn 1X20'GP: 9360pcs 1X40'GP: 19440pcs 1X40'HQ: 24480pcs</p>
			1,000	1496. 11		
			3,000	1431. 56		
			5,000	1375. 61		
			Sample	1692. 62		
<p>ELS-08-SP (Solar motion led light external solar panel)</p>  <p>ACMESHINE™ Item:ELS-08-SP www.acmeshine.com CE FC</p>	<p>1, Solar panel :<b>3W Built-in +External 5W(3M waterproof DC cable )</b> 2, LED :56pcs ,6W,600lumens (Netural led color : Pure white ) LED life span:+50000hrs 3, Charging Method : <b>Solar power +DC</b> 4, Charging time :6-8hrs 5, Battery : <b>4400mah li-ion polymer battery</b> 6, Material : ABS +PC 7, IP level : 65 8, With PIR motion sensor and light sensor 9,Working Temperature: -25°C to 65°C 10,<b>Rotatable Design</b></p>	<p>10% Dim lighting +motion sensor (Bright lighting for 30secs once motion detected )</p>	500	2467. 21	100	<p>Standard color box: 200*245*90mm 1.45 kg/piece Master ctn size : 41*52*25CM 12pcs/ctn 18kg/ctn 1X20'GP: 6304pcs 1X40'GP: 13058pcs 1X40'HQ: 15309 pcs</p>
			1,000	2438. 52		
			3,000	2381. 15		
			5,000	2338. 11		
			Sample	2581. 97		




ELS-07 (Integrated solar street led light)	 <p>www.acmeshine.com CE FC</p>	1, Solar panel :7W 17% efficiency 2, LED :20pcs ,5W, 500lumens (Netural led color : Pure white ) LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs 5, Battery : 13200mah li-ion battery 6, Material : Aluminum Alloy+PC 7, IP level : 65 8, With PIR motion sensor and light sensor 9,Working Temperature: -25°C to 65°C 10,Product size : 276MM*390MM	4Hrs high bright + 20% brightness + PIR motion sensor till dawn	6~100	6670. 08	1 Standard Carton Packing Size : L420*W170*H355m m 20 GP: 1000pcs , 40GP: 2230pcs , 40HQ: 2720pcs 1piece/carton Net Weight : 5Kg Gross Weight:5.5Kg
				100~500	6454. 92	
				500~1000	6196. 72	
				1~5	6885. 25	
ELS-16 (Integrated solar street led light)	 <p>www.acmeshine.com CE FC</p>	1, Solar panel :15W 17% efficiency 2, LED :40pcs ,12W, 1200lumens (Netural led color : Pure white ) LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs 5, Battery : 26400mah li-ion battery 6, Material : Aluminum Alloy+PC 7, IP level : 65 8, With PIR motion sensor and light sensor 9,Working Temperature: -25°C to 65°C 10,Product size : 276MM*690MM	4Hrs high bright + 20% brightness + PIR motion sensor till dawn	100~500	10413. 93	1 Standard Carton Packing Size : L720*W170*H355m m , 20GP: 635pcs , 40GP:1316 pcs , 40HQ: 1543pcs 1piece/carton Net Weight : 8.5Kg Gross Weight:9Kg
				500~1000	10155. 74	
				1~100	10672. 13	
				ELS-18 (Integrated solar street led light)	 <p>www.acmeshine.com CE FC</p>	
100~300	18346. 31					
1~50	19795. 08					


<b>ELS-03</b> <b>(Aluminum Cheap price solar motion Wall Light)</b>	 <p>ACMESHINE™ Item:ELS-03</p> <p>Low price aluminum solar motion light US\$13.5-19.5</p> <p>www.acmeshine.com CE FC</p>	<p>1, Solar panel :2.2W</p> <p>2, LED :44pcs ,400lumens (Netural led color : Pure white ) ,LED life span:+50000hrs</p> <p>3, Charging Method : Solar power</p> <p>4, Charging time :6-8hrs</p> <p>5, Battery : 2200mah li-ion battery</p> <p>6, Material : PC + aluminum shell</p> <p>7, IP level : 54</p> <p>8, With PIR motion sensor and light sensor</p> <p>9,Working Temperature: -25°C to 65°C</p>	<p>Work on at night automatically with dim light , motion detected , trun to full bright for 30s , and trun to dim light again once there is no any motion , can work 3-5days after one time full charged</p>	500	1207. 79	<p>1. Product size: L155 *W 122 *H61mm</p> <p>N.W.: 0.4KG</p> <p>2.Color box size: L166*w148*H70mm</p> <p>Weight:0.465KG</p> <p>3.Master carton size:525*355*343mm</p> <p>Weight: 13.8KG</p> <p>4.Qty: 28PCS /CTN</p> <p>1X20'GP: 10865pcs</p> <p>1X40'GP: 22567pcs</p> <p>1X40'HQ: 28418pcs</p>
				1000	1190. 57	
				3000	1159. 02	
				5000	1133. 20	
				Sample	1649. 59	
<b>ELS-11P</b> <b>(Solar Motion Light With AAA battery Box)</b>	 <p>ACMESHINE™ Item:ELS-11P</p> <p>www.acmeshine.com CE FC</p>	<p>1, Solar panel :0.66W</p> <p>2, LED :16pcs ,1W, 120lumens (Netural led color : Pure white ) LED life span:+50000hrs</p> <p>3, Charging Method : Solar power</p> <p>4, Charging time :6-8hrs</p> <p>5, Battery : Only with battery box , user need to buy 3pcs AAA rechargeable battery by themselves</p> <p>6, Material : ABS + aluminum shell</p> <p>7, IP level : 65</p> <p>8, With PIR motion sensor and light sensor</p> <p>9,Working Temperature: -25°C to 65°C</p>	<p>10% Dim lighting +motion sensor (Bright lighting for 30secs once motion detected ) (If we provide 3pcs AAA battery-- +3000pcs extra cost 0.7usd/pc, if less than 3000pcs 1usd/pc)</p>	500	593. 85	<p>Stand color box packing</p> <p>Product size:135*90*45mm</p> <p>Color box size: 140*94*47mm</p> <p>Carton size: 53*23*31cm,</p> <p>QTY: 40pcs/CTN,</p> <p>N.W:9 KGS/CTN</p> <p>G.W:10Kgs/CTN</p> <p>1X20'GP: 27513pcs</p> <p>1X40'GP: 57142pcs</p> <p>1X40'HQ: 71957pcs</p>
				1000	550. 82	
				3000	537. 91	
				5000	529. 30	
				Sample	674. 18	
<b>ELS-11P-B</b> <b>(Solar Motion Wall Light )</b>	 <p>ACMESHINE™ Item:ELS-11P-B</p> <p>www.acmeshine.com CE FC</p>	<p>1, Solar panel :0.66W</p> <p>2, LED :16pcs ,1W, 120lumens (Netural led color : Pure white ) LED life span:+50000hrs</p> <p>3, Charging Method : Solar power</p> <p>4, Charging time :6-8hrs</p> <p>5, Battery : Built-in Li-ion Polymer Battery 800mAh</p> <p>6, Material : ABS + aluminum shell</p> <p>7, IP level : 65</p> <p>8, With PIR motion sensor and light sensor</p>	<p>10% Dim lighting +motion sensor (Bright lighting for 30secs once motion detected )</p>	500	599. 59	<p>Stand color box packing</p> <p>Product size:135*90*45mm</p> <p>Color box size: 140*94*47mm</p> <p>Carton size: 53*23*31cm,</p> <p>QTY: 40pcs/CTN,</p> <p>N.W:9 KGS/CTN</p> <p>G.W:10Kgs/CTN</p> <p>1X20'GP: 27513pcs</p>
				1000	573. 77	
				3000	557. 13	
				5000	555. 12	
				500		



		9,Working Temperature: -25°C to 65°C		<b>Sample</b>	688.52		1X40'GP: 57142pcs 1X40'HQ: 71957pcs	
<b>ELS-11P-D</b> (Dual Working Solar Motion Wall Light )		1, Solar panel :0.66W 2, LED :16pcs ,1W, 120lumens (Netural led color : Pure white ) , can make any other color as request ,LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs <b>5, Battery : 1500mah li-ion polymer battery</b> 6, Material : ABS + aluminum shell 7, IP level : 65 8, With PIR motion sensor and light sensor 9,Working Temperature: -25°C to 65°C	Two working mode optional : With motion sensor for energy saving or working without motion sensor , keep full bright for entire night		500	702.87	300	Stand color box packing Product size:135*90*45mm Color box size: 140*94*47mm Carton size: 53*23*31cm, QTY: 40pcs/CTN, N.W:9.5 KGS/CTN G.W:10.5Kgs/CTN 1X20'GP: 27513pcs 1X40'GP: 57142pcs 1X40'HQ: 71957pcs
					1000	695.70		
					3000	687.09		
					5000	674.18		
					<b>Sample</b>	803.28		
<b>ELS-05M</b> (Solar Garden Light With Mosquito Repellent)		1, Solar panel :0.6W 2, LED :8pcs ,0.5W, 80lumens (Netural led color : Pure white ) LED life span:+50000hrs 3, Charging Method : <b>Solar power /DC (USB charge) -No cable Included</b> 4, Charging time :6-8hrs <b>5, Battery : LI-ion polymer battery 800mah</b> 6, Material : ABS + PC ,Stainless steel Rod (30CM) 7, IP level : 55 8,Working Temperature: -25°C to 65°C	Two touch switches for mosquito repelling function (Ultrasonic wave) and led lighting fucntion , turn on /Off by touch switches . LED lighting brightness can be adjusted from 1%-100% . (If add USB cable , extra 0.17usd/pc)		500	887.91	100	1. Product size: L136 *W 136 *H130mm N.W.: 0.308KG 2.Color box size: L145*w145*H148mm Weight:0.5KG 3.Master carton size:460*470*335mm Weight: 9.85KG 4.Qty: 18PCS/CTN 1X20'GP: 6240pcs 1X40'GP: 12960pcs 1X40'HQ: 16320pcs
					1000	857.79		
					3000	786.07		
					5000	743.03		
					<b>Sample</b>	975.41		
<b>ELS-06P</b> (High Bright Solar motion wall led light)		1, <b>Solar panel :2.2W</b> 2, LED :53pcs ,500lumens (Netural led color : Pure white ) ,LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs <b>5, Battery : 2200mah li-ion battery</b> 6, Material : PC + aluminum shell	Work on at night automatically with dim light , motion detected , trun to full bright for 30s , and trun to dim light again once		500	1402.87	100	1. Product size: L155 *W 122 *H61mm N.W.: 0.4KG 2.Color box size: L166*w148*H70mm Weight:0.465KG 3.Master carton
					1000	1379.92		
					3000	1326.84		

	 <p>www.acmeshine.com CE FC</p>	<p>7, IP level : 54 8, With PIR motion sensor and light sensor 9, Working Temperature: -25°C to 65°C</p>	<p>there is no any motion , can work 3-5days after one time full charged</p>	<p>5000</p>	<p>1288. 11</p>		<p>size:525*355*343mm Weight: 13.8KG 4.Qty: 28PCS /CTN 1X20'GP: 10865pcs 1X40'GP: 22567pcs 1X40'HQ: 28418pcs</p>
<p>ESC-08 (Solar Power Bank)</p>	 <p>ACMESHINE™ Item:ESC-08 www.acmeshine.com CE FC</p>	<p>1, Solar panel: 0.6W 2 Battery: Li-ion polymer battery, 2500mAH 1PCS 3, Charging method: Solar power/ External Micro port input 4, Charging time: 8hrs/4.5hrs 5, LED: 4PCS Blue LED Battery Indicator /1PCS Φ5mm LED flash light 6, Flash light beam angle : 30 degree 7, LED lifetime: More than 50000hrs</p>	<p>Battery indicator: 4PCS LED battery indicator MICRO USB:Charging port 5V 1A Input USB 2.0 A Port: Out put port, Output 5V 1A Long press to turn on the fishlight .</p>	<p>500 1000 3000 5000</p>	<p>616. 80 613. 22 609. 63 602. 46</p>	<p>500</p>	<p>1. Product size: 132*50*13mm N.W.: 0.1KG 2.Color box size: 196*116*40mm Weight:0.15KG 3.Master carton size: 680*300*230mm Weight: 8.8KG 4.Qty: 52PCS/CTN 1X20'GP: 26000pcs 1X40'GP: 54000pcs 1X40'HQ: 68000pcs</p>
<p>ELS-07RC (Solar wall light with remote control )</p>	 <p>ACMESHINE™ Item:ELS-07RC www.acmeshine.com CE FC</p>	<p>1, Solar panel :2.2W 2, LED :53pcs ,3.5W, 350lumens (Netural led color : Pure white/Warm White ) ,LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs 5, Battery : 2200mah li-ion battery 6, Material : PC + aluminum shell 7, IP level : 54 8, With light sensor 9, Working Temperature: -25°C to 65°C</p>	<p>( Remote control to control the white and warm white color and the light intensity , control distance 50Meters) - No battery included for remote control , if we offer , extra 0.84/pc)</p>	<p>500 1000 3000 5000</p>	<p>2151. 64 2134. 43 2079. 92 2008. 20</p>	<p>100</p>	<p>Stand color box packing : 1.Color box size: L166*w148*H70mm Weight:0.55KG/piece 2.Master carton size:525*355*343mm Weight: 15.4KG 3.Qty: 28PCS /CTN 1X20'GP: 10865pcs 1X40'GP: 22567pcs 1X40'HQ: 28418pcs</p>
	 <p>ACMESHINE™ Item:ELS-09</p>	<p>1, Solar panel :0.6W 2, LED :1pc ,0.5W, 60lumens (Netural led color : Pure white ) ,LED life span:+50000hrs 3. Charging Method : Solar power</p>	<p>Place the switch to gear 1 , : LED with half bright , for night lamp use, Place the</p>	<p>500~2999</p>	<p>502.05</p>		<p>Color box size :139*139*149mm 0.18KG/piece</p>

<p><b>ELS-09</b> (Solar Lantern )</p>	 <p>www.acmeshine.com CE FC</p>	<p>3, Charging method : Solar power /Universal USB charge (No cable included)  4, Charging time :6-8hrs  5, Battery : 600mah li-ion polymer battery  6, Material : PC + ABS  7, IP level : 55  8,Working Temperature: -25°C to 65°C</p>	<p>switch to gear 2 , LED with high bright , at this time , the lamp can be as lantern or table lamp (If add USB cable , extra 0.17usd/pc)</p>	<table border="1"> <tr> <td>3000~1000</td> <td>487. 70</td> </tr> <tr> <td>300K</td> <td>473. 36</td> </tr> <tr> <td><b>Sample</b></td> <td>573. 77</td> </tr> </table>	3000~1000	487. 70	300K	473. 36	<b>Sample</b>	573. 77		<p>500</p>	<p>2,Master carton Size: 580mm*440mm*470 mm  3,36pcs/ctn.  8.5KG/ctn  1X20'GP: 7800pcs  1X40'GP: 16200pcs  1X40'HQ: 20400pcs</p>				
3000~1000	487. 70																
300K	473. 36																
<b>Sample</b>	573. 77																
<p><b>EBC-03L-M</b> (With Music)</p>	<p>Bell Shape Led decoration light  ACMESHINE® Item:EBC-03L</p>  <p>www.acmeshine.com CE FC</p>	<p>1,Two gears toggle switch : ON-OFF  2, LED 1piece ,Color can be custom-made (R,G,B,W,Y)  3, Battery , AAA/ 1.5V alkaline battery 2PCS , replaceable , non-rechargeable  4, With sound sensor (Optional )</p>	<p>Turn on the light , LED keeps on with lighting . When trigger sound sensor , music will play for 20s ( It will be ineffective once trigger again during playing music ) , the led lighting will be blinking with music . After the music was played, led turn to</p>	<table border="1"> <tr> <td>500</td> <td>357. 17</td> </tr> <tr> <td>1000</td> <td>348. 57</td> </tr> <tr> <td>3000</td> <td>329. 92</td> </tr> <tr> <td>5000</td> <td>315. 57</td> </tr> <tr> <td><b>Sample</b></td> <td>372. 95</td> </tr> </table>	500	357. 17	1000	348. 57	3000	329. 92	5000	315. 57	<b>Sample</b>	372. 95		<p>500</p>	<p>Color box size L161*W80*H82 mm ,2pcs one color box, 0.15KG  Ctn size : L660*W660*H260m m  96boxes in one ctn  G.W.: 15kg  Outline Dimension: Dia 78MM*H80MM  1X20'GP: 44176pcs  1X40'GP: 91752 pcs  1X40'HQ:</p>
500	357. 17																
1000	348. 57																
3000	329. 92																
5000	315. 57																
<b>Sample</b>	372. 95																
<p><b>EBC-03L</b> (Without music)</p>	<p>Bell Shape Led decoration light  ACMESHINE® Item:EBC-03L</p>  <p>www.acmeshine.com CE FC</p>	<p>1,Two gears toggle switch : ON-OFF  2, LED 1piece ,Color can be custom-made (R,G,B,W,Y)  3, Battery , AAA/ 1.5V alkaline battery 2PCS , replaceable , non-rechargeable  4, With sound sensor (Optional )</p>	<p>Turn One the light , LED flashing with RGB color . Or one color lighting mode.</p>	<table border="1"> <tr> <td>500</td> <td>271. 11</td> </tr> <tr> <td>1000</td> <td>262. 50</td> </tr> <tr> <td>3000</td> <td>249. 30</td> </tr> <tr> <td>5000</td> <td>230. 94</td> </tr> <tr> <td><b>Sample</b></td> <td>286. 89</td> </tr> </table>	500	271. 11	1000	262. 50	3000	249. 30	5000	230. 94	<b>Sample</b>	286. 89		<p>500</p>	<p>Color box size L161*W80*H82 mm ,2pcs one color box, 0.15KG  Ctn size : L660*W660*H260m m  96boxes in one ctn  G.W.: 15kg  Outline Dimension: Dia 78MM*H80MM  1X20'GP: 44176pcs  1X40'GP: 91752 pcs  1X40'HQ:</p>
500	271. 11																
1000	262. 50																
3000	249. 30																
5000	230. 94																
<b>Sample</b>	286. 89																

<b>ELS-17F</b> (Small Solar led light system)	 <p>www.acmeshine.com CE FC</p>	1, Solar panel :2W solar panel with aluminum frame 2, LED :16pcs ,1W, 120lumens (Netural led color : Pure white) ,LED life span:+50000hrs 3, Charging Method : Solar power 4, Charging time :6-8hrs 5, Battery : 2200mah li-ion battery 6, Material : PC	Half bright-off--full bright , controlled by slide switch	500	989.75	100	1. Product size: L136 *W 136 *H130mm N.W.: 0.308KG 2.White box size: L145*w145*H148mm Weight:0.5KG 3.Master carton size:460*470*335mm Weight: 9.85KG 4.Qty: 18PCS/CTN 1X20'GP: 6240pcs 1X40'GP: 12960pcs 1X40'HQ: 16320pcs
				1000	982.58		
				3000	975.41		
				5000	953.89		
				<b>Sample</b>	1147.54		

**Remarks**

1. The prices are quoted based on EXW, Delhi
2. Payment by T/T: 30% down payment and 70% paid before delivery;
3. Delivery time: Within 5-30days after received 30% down payment;
4. Validity: The quotation will be valid for 30 days.
5. OEM service can be accepted , please contact us for further information .